## HAZARDS AND SITE RISKS STATEMENT – HEALTH & SAFETY ACT (MUST BE COMPLETED BY OCCUPIER AT EACH INDIVIDUAL SITE)

Police officers will not normally enter the premises without the keyholder. However, this may be necessary on occasions due to suspicious circumstances. To ensure the safety of officers, the force must be pre-warned of site risks, therefore you are required to state any site hazards in accordance with the Occupiers Liability Act 1957.

Tick (✔) in shaded areas as relevant:

Hazard Details apply to the Building(s) and Grounds of the Premises							
POND	BASEMENT	DOGS		CONTAGIOUS SA	that ap	Piy	
SWIMMING POOL	FRAGILE ROOF	DANGEROUS ANIMALS	FI	FLAMMABLE SUBSTANCES			
RIVER FRONTAGE	DANGEROUS STRUCTURE	FIREARMS / SHOTGUNS (excluding air weapons)		FUEL STORAGE			
GLASS COPING WALLS	LOW CEILING BEAMS	AMMUNITIONS		CHEMICALS			
RAZOR WIRE	SLIPPERY FLOORS	EXPLOSIVES	R	RADIOACTIVE MATERIALS			
INSPECTION PITS	FURNACE	DANGEROUS MACHINERY		ASBESTOS			
SETTLEMENT TANKS	ELECTRICITY SUB STATION	GAS CYLINDERS		SPRINKLER SYS	TEM		
VATS	ATM INSIDE PREMISES	TOXIC MATERIALS	F	ORENSIC MARKE	R / DYE		
SECURITY FOGGING DEVICE	SMOKE RAID CONTROL (HUA)						
PLEASE NOTE ANY OTHER SITE HAZARDS OR ADDITIONAL FEATURES							

## Should site circumstances change you must send an update for our records

- 1. I am aware that, where applicable, there will be a police alarm administration fee payable (£48.00 + VAT) on the issue of <u>each</u> URN or element of a URN
- 2. If this form is being completed in preparation for a take-over of a URN from an existing company and/or maintenance contract, I hereby authorize that change:

## **Complete ALL fields:**

Complete ALL fields.				
Customer Signature *	Print Name			
Business name of premises			-	
Address of protected				
premises			Tel	
Postcode		Date		
Customer email address				

\* NB: Typed signatures will not be accepted. Secure electronic or wet signatures are acceptable

Alarm Company - Name		
Alarm Company - Signature	<b>Print Name</b>	
Position in Company	Date	